

## **STIC Biotechnology Systems Branch**

### **RAW SEQUENCE LISTING** **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/582,918  
Source: FWP  
Date Processed by STIC: 6/22/06

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

**<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>**


Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<**<http://www.uspto.gov/ebc/efs/downloads/documents.htm>**> , **EFS Submission User Manual - ePAVE**)
2. **U.S. Postal Service:** Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. **Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):**  
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFWP

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/582,918

DATE: 06/22/2006

TIME: 13:10:32

Input Set : E:\seqlist.txt

Output Set: N:\CRF4\06222006\J582918.raw

3 <110> APPLICANT: BASF Aktiengesellschaft  
 5 <120> TITLE OF INVENTION: P EF-TU-Expressionseinheiten  
 7 <130> FILE REFERENCE: PF 55183/Mec  
 W--> 8 <140> CURRENT APPLICATION NUMBER: 20030320  
 C--> 10 <141> CURRENT FILING DATE: 2006-06-14  
 12 <160> NUMBER OF SEQ ID NOS: 42

use English in a  
U.S.

this is NOT the  
 current application number

## ERRORED SEQUENCES

2271 <210> SEQ ID NO: 42  
 2272 <211> LENGTH: 7  
 2273 <212> TYPE: DNA  
 2274 <213> ORGANISM: Corynebacterium glutamicum  
 2276 <220> FEATURE:  
 2277 <223> OTHER INFORMATION: RIBOSOMALE  
 2279 <400> SEQUENCE: 42  
 2280 aggagga  
 E--> 2283 PF 55183  
 E--> 2285 5  
 E--> 2289 PF 55183

Does Not Comply  
 Corrected Diskette Needed

use English

delete at end of file

Please  
 use English  
 throughout the  
 submitted file

## VERIFICATION SUMMARY

PATENT APPLICATION: US/10/582,918

DATE: 06/22/2006

TIME: 13:10:34

Input Set : E:\seqlist.txt

Output Set: N:\CRF4\06222006\J582918.raw

L:8 M:283 W: Missing Blank Line separator, <140> field identifier  
L:8 M:270 C: Current Application Number differs, Replaced Current Application Number  
L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date  
L:2283 M:254 E: No. of Bases conflict, LENGTH:Input:55183 Counted:9 SEQ:42  
L:2283 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:2  
M:254 Repeated in SeqNo=42  
L:2289 M:320 E: (1) Wrong Nucleic Acid Designator, NUMBER OF INVALID KEYS:2  
L:2289 M:252 E: No. of Seq. differs, <211> LENGTH:Input:7 Found:11 SEQ:42